

Technische Daten Linglong  
LKW- und EM-Reifen



Nestelbach 76 A-8262 Ilz

03385/580 office@reifenverkauf.at

Reifen | Felgen | Brennholz | Akazienstecken



**LINGLONG TIRE**

*The world at your reach*

Rechberger Reifen GmbH	T:03385 580	Firmenb. FN 490080g
A-8262 Ilz	Fax: 03385 580 4	Ust-ID-Nummer: ATU 73215004
Nestelbach 76	office@reifenverkauf.at	www.rechberger-reifen.at

## Inhalt

Linglong KMA400.....	2
Linglong KMD400.....	2
Linglong KXA400 .....	3
Linglong LDO986.....	3
Linglong KTD300 .....	4
Linglong LDL831.....	4



Rechberger Reifen GmbH	T:03385 580	Firmenb. FN 490080g
A-8262 Ilz	Fax: 03385 580 4	Ust-ID-Nummer: ATU 73215004
Nestelbach 76	office@reifenverkauf.at	www.rechberger-reifen.at



### Linglong KMA400 Radposition: Alle Positionen

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
13x22,5	18	9,75	320/19	156/150 K	D/B/73/2
295/80x22,5	16	9	298/19	152/148 K	D/B/73/2
315/80x22,5	20	9	312/19	156/152 K	D/B/73/2



### Linglong KMD400 Radposition: Antrieb

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
13x22,5	18	9,75	320/21	156/150K	E/B/75/2
295/80x22,5	16	9	298/21	152/148K	E/B/75/2
315/80x22,5	20	9	312/21	156/152K	E/B/75/2

Rechberger Reifen GmbH	T:03385 580	Firmenb. FN 490080g
A-8262 Ilz	Fax: 03385 580 4	Ust-ID-Nummer: ATU 73215004
Nestelbach 76	office@reifenverkauf.at	www.rechberger-reifen.at



**Linglong KXA400** Radposition: Alle Positionen

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
385/65x22,5	20	11,75	389/18	160(158)K(L)	C/B/73/2
425/65x22,5	20	13	430/18,5	165 K	C/B/73/2



**Linglong LDO986** Radposition: Antrieb

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
13x22,5	18	9,75	320/24	156/150F(80kmh)	E/C/73/2
295/80x22,5	16	9	298/24,5	152/148F	E/C/73/2
315/80x22,5	18	9	312/24	154/150F	E/C/73/2

Rechberger Reifen GmbH	T:03385 580	Firmenb. FN 490080g
A-8262 Ilz	Fax: 03385 580 4	Ust-ID-Nummer: ATU 73215004
Nestelbach 76	office@reifenverkauf.at	www.rechberger-reifen.at



### Linglong KTD300 Radposition: Antrieb

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
315/70x22,5	16	9	312/20	154/150L	E/C/75/2
295/80x22,5	16	9	298/20,5	152/148M	E/C/75/2
315/80x22,5	18	9	312/22	156/150L	E/C/75/2



### Linglong LDL831 Radposition: Antrieb

Dimension	Plyrating	Felge	Profil(B/T)	LI/SI	Label
295/80x22,5	16	9	298/23	152/148M	E/C/73/2
315/70x22,5	18	9	312/23	156/150L	E/C/73/2
315/80x22,5	20	9	312/23	156/150L	E/C/73/2

Rechberger Reifen GmbH	T:03385 580	Firmenb. FN 490080g
A-8262 Ilz	Fax: 03385 580 4	Ust-ID-Nummer: ATU 73215004
Nestelbach 76	office@reifenverkauf.at	www.rechberger-reifen.at

Notizen:

